




Details (Deutsch)

Details (English)

SP09-2021 R3

• Schüco ASE 80.HI – Blendrahmen M9649505 und M9649506

Als Alternative zu den Blendrahmen 487910 und 487920 für 2-gleisige Anlagen stehen folgende Profile zur Verfügung:



Die Profile können mit den Artikelnummern M9649505PT/M9649505PA und M9649506PT/M9649506PA erfasst werden. Die Profile werden in SchüCal als Kundenverbund (KV) Profile geführt.

Zum Verrollen der Alternativvariante sind spezielle Rollen und Rollenpläne erforderlich.

Hinweis zur SchüCal Maschinenansteuerung:

Manche Maschinentypen können tlw. nur 6-stellige Artikelnummern verarbeiten, in diesem Fall ist eine manuelle Anpassung erforderlich.

Bei Fragen zu dieser Lösung wenden Sie sich bitte an Ihren Ansprechpartner / Ihre Ansprechpartnerin des AluKönigStahl Außendienstes.

Details entnehmen Sie bitte der Dokumentation „Technik Aktuell 01.2022“

• **Stahltüren:**

Türbeschlag -> Umstellung Schlösser (Mehrverriegelungen mit Panikfunktion)

(Systeme Economy 50, Economy 60, Janisol HI, Janisol 2, Janisol C4)

Die Jansen Mehrfachverriegelungsschlösser in Panikausführung wurden auf eine neue Schlossgeneration umgestellt. Die neuen Panik-Mehrfachverriegelungsschlösser sind für beide Öffnungsrichtungen (DIN Links / DIN Rechts) verwendbar, zudem lässt sich die Fluchtrichtung mit einfachen Handgriffen von auswärts auf einwärts öffnend umstellen.

• **Alle Programmbereiche**

Aktualisierungen sowie Behebung von Problemen aus diversen Programmbereichen.

• **MC-Modul**

Aktualisierungen zu Bearbeitungen und Ermittlungen sowie weitere Fehlerbehebungen.

**SP08-2021 R3**

- **Alle Programmbereiche**

Fortlaufende Aktualisierungen sowie Behebung von Problemen aus diversen Programmbereichen.

- **MC-Modul**

Weitere Aktualisierungen zu Bearbeitungen und Ermittlungen sowie weitere Fehlerbehebungen.

SP07-2021 R3

- **Alle Programmbereiche**

Weitere umfangreiche Aktualisierungen sowie Behebung von Problemen aus diversen Programmbereichen.

- **MC-Modul**

Aktualisierungen zu Bearbeitungen und Ermittlungen sowie weitere Fehlerbehebungen.

SP06-2021 R3

- **Alle Programmbereiche**

Fortlaufende Aktualisierungen und Problemlösungen in unterschiedlichen Programmbereichen.

- **Ausgabe**

Behoben: Kommissionierliste

Auf der Ausgabeliste „Kommissionierliste“ waren nur die Artikelquerschnitte vorhanden. Dies wurde behoben.

SP05-2021 R3

- **Alle Programmbereiche**

Fortlaufende Aktualisierungen und Problemlösungen in unterschiedlichen Programmbereichen.

- **MC-Modul**

Weitere Aktualisierungen von Bearbeitungen und Ermittlungen sowie weitere Fehlerkorrekturen.



SP04-2021 R3

• NEU: UKCA-Kennzeichnung

Ausgabe in CE-Kennzeichnung, Leistungserklärung & CE-Etikett für den Markt GB

Das UKCA-Zeichen (UKCA = UK Conformity Assessed) ist die neue britische Produkt-Kennzeichnung, die für bestimmte Produkte erforderlich ist, welche in Großbritannien (England, Wales und Schottland) auf den Markt gebracht werden. Es betrifft die meisten Produkte, für die bisher das CE-Zeichen erforderlich war.



SchüCal ermöglicht jetzt Auswahl und Ausgabe der UKCA-Kennzeichnung in diesen Bereichen:

1. In den **Ausgabeoptionen** ist für CE-Kennzeichnung, Leistungserklärung und CE-Etikett die zusätzliche Checkbox "UKCA" vorhanden.
2. Für die **CE-Kennzeichnung** wird bei aktivierter Einstellung für UKCA das UKCA-Zeichen und der Text "Designierte Norm" ausgegeben.
3. Für die **Leistungserklärung** wird bei aktivierter Einstellung für UKCA der Text "Designierte Norm" ausgegeben.
4. Für das **CE-Etikett** wird bei aktivierter Einstellung für UKCA das UKCA-Zeichen ausgegeben.

• Schüco ASE 60 / Schüco ASE 80.HI:

Kataloganpassungen TipTronic Artikel

Die im Katalog aufgeführten neuen TipTronic - Artikel mit geänderten Kabellängen sind jetzt verfügbar:

Alte Artikel-Nr.	Neue Artikel-Nr.
275050	291950
275052	291952
263392	263704
263690	263705

• Janisol 2 Brandschutz Schiebetüren:

Neue Flügelführungen

Gemäß der Überarbeitung der Janisol 2 Brandschutz Schiebetüren Dokumentation wird die bisherige Flügelführung 555.376 durch die neuen Flügelführungen 452.910 (rechts öffnend) sowie 452.911 (links öffnend) ersetzt.

• Aktualisiert: Hilfe zum Programm (Englisch)

Die Programmhilfe in Englisch ist auf den Programmstand 2021 R3 aktualisiert worden.

• MC-Modul

Umfassende Aktualisierungen zu Bearbeitungen und Ermittlungen sowie weitere Fehlerbehebungen.



- **Alle Programmbereiche**

Weitere umfangreiche Aktualisierungen sowie Behebung von Problemen aus unterschiedlichen Programmbereichen.




Details (English)

SP09-2021 R3

- **Schüco ASE 80.HI – Outer Frame M9649505 and M9649506**

The following profiles are available as an alternative to frames 487910 and 487920 for 2-track systems:



The profiles can be entered with the article numbers M9649505PT/M9649505PA and M9649506PT/M9649506PA. The profiles are managed in SchüCal as “rolling by customer (KV)” profiles.

For rolling the alternative variant, special rolls and roll plans are required.

Note on SchüCal machine control:

Some machine types can only work with 6-digit article numbers, in this case a manual adjustment is necessary.

In case of questions concerning this solution please contact your AluKönigStahl sales representative

For details, please refer to the documentation "Technik Aktuell 01.2022".

- **Steel doors:**

Door fitting -> Lock conversion (multi point locking with panic function)

(Economy 50, Economy 60, Janisol HI, Janisol 2, Janisol C4 systems)

The Jansen multi-point locks in panic design have been converted to a new lock generation. The new panic multipoint locks can be used for both opening directions (DIN left / DIN right). In addition, the escape direction can be changed from outward to inward opening with simple manipulation.

- **All program segments**

Updates as well as problem solutions in different programme segments.

- **MC module**

Updates of further processings and calculations as well as further bug fixes.

SP08-2021 R3

- **All program segments**

Continuous updates as well as problem solutions in different programme segments.

- **MC module**

Further updates of further processings and calculations as well as further bug fixes.



SP07-2021 R3

- **All program segments**

Further functional updates as well as minor problems from various program sections resolved.

- **MC module**

Extensive updates of further processings and calculations as well as further bug fixes.

SP06-2021 R3

- **All program segments**

Continuous updates as well as problem solutions in different programme segments.

- **Output**

Fixed: Pick list

On the output list "Pick list" only the item cross sections were available. This has been fixed.

SP05-2021 R3

- **All program segments**

Continuous updates as well as problem solutions in different programme segments.

- **MC module**

Further updates of processings and calculations as well as further error corrections.

SP04-2021 R3

- **NEW: UKCA Marking**

Output in CE Marking, Declaration of Performance & CE Label for UK market

The UKCA mark (UKCA = UK Conformity Assessed) is the new British product marking that is required for certain products that are placed on the market in the United Kingdom (England, Wales and Scotland). It affects most products that previously required the CE mark.



SchüCal now allows selection and output of the UKCA Marking in these areas:

1. In the **output options**, the additional checkbox "UKCA" is available for CE Marking, Declaration of Performance and CE Label.
2. For the **CE Marking**, the UKCA symbol and the text "Designated standard" are output if the setting for UKCA is activated.
3. For the **Declaration of Performance**, the text "Designated standard" is output if the setting for UKCA is activated.
4. For the **CE Label**, the UKCA mark is output when the setting for UKCA is enabled.





- **Schüco ASE 60 / Schüco ASE 80.HI:**
Catalogue adaptations TipTronic articles

The new TipTronic articles with modified cable lengths listed in the catalogue are now available:

Old article no.	New article no.
275050	291950
275052	291952
263392	263704
263690	263705

Janisol 2 fire resistant sliding doors:
New vent guides

In accordance with the revision of the Janisol 2 fire resistant sliding doors documentation, the previous vent guide 555.376 is replaced by the new vent guides 452.910 (opening to the right) and 452.911 (opening to the left).

Updated: Program help (English)

The help to the program in English has been updated to the current 2021 R3 program status.

MC module

Extensive updates of further processings and calculations as well as further bug fixes.

All program segments

Further functional updates as well as minor problems from various program sections resolved.